Southern Tool

Visit Our Web Site at www.southern-tool.com

We are pleased to offer for your consideration:

ONE - NEW U. S. INDUSTRIAL 155 TON HYDRAULIC IRONWORKER WITH DUAL OPERATOR STATIONS, MODEL USHI-155T-DO

Noteworthy features of this Ironworker:

- * Dual hydraulic cylinders for two-man operation with two moveable foot pedals
- * Five workstations: punch, plate shear, angle shear, rod shear notcher, plus press brake attachment
- * Punch station has large two-piece gauging table with fence
- * Punch station has quick acting swing-away stripper with 3 inserts
- * Punch station has removeable sections for punch leg of channel or I-beam
- * Quick change coupling nut and sleeve for punch
- * Brake Attachment
- * Electric backgauge, 3' long
- * Electrically interlocked safety guard for notching station
- * Magnetic base workstation light
- * 20 HP, three phase operation
- * Weight of machine is 14960 lbs.
- * Three sets of round punch and die
- * Spare parts and tools

Punch

Punch Tonnage	155
Punching Thickness	1 1/4"
Punching Diameter	1 1/2"
Throat Depth	24"
Stroke Length	0" – 3 1/8"

Page 2...... USHI-155T-DO Continued

Flat Bar Shear

Max. Thickness	14' x 1 1/4"
Max. Length	24" x 3/4"
Blade Length	24"

Angle Shear

Capacity 90 Deg.	7" x 7" x 5/8"
Capacity 45 Deg.	3" x 3" x 5/16"

Bar Shear

Round	2 1/2""
Square	2 1/8""

Notcher

Thickness	5/8"
Width	2 3/8"
Depth	4"

Motor	20 HP
Weight	14,960 Lbs
LxWxH	105" x 40" x 90"
Oil Capacity	64 Gal.

Thank you for the opportunity to quote. We look forward to serving you.

We await your reply and thank you for this opportunity to quote.

Sincerely,

U. S. INDUSTRIAL MACHINERY, INC.

