

**TITAN™**

*Advanced Performance. Total Reliability.*

# Line Stripers



**TITAN™**

Advanced Performance. Total Reliability.

# Line Stripers

## For Your Toughest Striping Applications

### CONTENTS

One-Gun Line Stripers .....	4
PowrLiner 800 .....	5
PowrLiner 1800 <sub>M</sub> .....	6
PowrLiner 2800 <sub>M</sub> .....	7
Multiple Gun Line Stripers .....	8
PowrLiner 4900 <sub>XLT</sub> .....	9
PowrLiner 6900 <sub>XLT</sub> /8900 <sub>XLT</sub> .....	10
PowrLiner 9900 <sub>XLT</sub> .....	11
Accessories .....	12-13
Specifications .....	14-15
Warranty .....	16



# Why Titan™ SPEEFLO® PowrLiner™?

Professional contractors, property managers and maintenance personnel aren't interested in complicated machines: they want to get the job done quickly and done right. That is why serious contractors, maintenance managers and athletic organizations rely on Titan because only Titan offers them a full range of versatile, dependable line stripers for every application – from municipal parking lots and athletic fields to airport runways and football stadiums.

Titan SPEEFLO PowrLiners are built for dependable, precision performance — delivering crisp, clean lines that no conventional air-spray or aerosol system can accomplish. Our one-gun and two-gun sprayers have an output range from .33 to 2.35 GPM and are capable of striping 106 to 750 linear feet/minute — up to 60% greater than competitive line stripers.

## ADVANCED PERFORMANCE

- PowrLiners are designed BY professionals FOR professionals
- Our stripers are built for hard work and long life
- The latest engineering technology ensures ease of use and dependability
- Our stripers meet and exceed the expectations of contractors who want to do the job right the FIRST time.

## TOTAL RELIABILITY

- Proven technology - you finish every job quickly and profitably
- Superior design and construction maximizes the service life of your line stiper
- Complete diversity of equipment – we have a stiper for every application
- Half a century of getting the job done right – Titan is the name you trust

## UNSURPASSED SERVICE

- Dependable, reliable network of authorized sales and service distributors
- The best customer service in the industry to help you select and maintain your line stiper
- Professional application and service representatives ready to assist you with recommendations and technical support

## THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

When you purchase a PowrLiner you purchase performance. We stand behind that assurance and are so confident in the quality of our stripers that we offer the best and longest warranties in the industry, including:

- 4-Year Manufacturer's Defects
- 3-Year Gas Engine Warranty
- Lifetime Drive Train Warranty
- 35-Day Satisfaction Guarantee
- Express Parts Program
- WearGuard™ Convenience Program

### Parking lots



Commercial and residential asphalt and concrete parking lots, street and roadways

### Turf and fields



Athletic fields and sports turf, including football, soccer and municipal all-purpose fields

### Small- and large-scale projects



Airport runways, cargo and freight handling facilities

### Stenciling



Special-purpose stenciling

### Streets and roadways



Walk behind, self-propelled and ride-on systems available

# One-Gun Line Stripers

Titan SPEEFLO offers one-gun PowrLiners™ that incorporate gear-driven technology and are perfect for entry level and medium sized striping projects.

## Titan SPEEFLO Gear-Driven Piston Line Stripers

### Durable Fluid Section

- Exclusive fluid section design requires no cylinder; fewer wear parts reduces maintenance cost
- Stainless steel rotating ball valves keep debris from sticking to minimize downtime and maximize performance
- Access and clean the ball valves without damaging packings or removing fluid section
- Industry-leading, heavy-duty, self-aligning clutch
- Patented, one-piece modular pump housing design makes routine service quick and easy – lasts up to 30% longer than competitor line strippers
- One-piece, self-adjusting static packings with wiper lip last up to 50% longer; lifetime cylinder warranty means you spray more and worry less.
- Reversible inlet and outlet seats last twice as long as standard seats

### Reliable Subaru Gas Engine

- Proven engine technology — advanced performance, total reliability and proven overhead cam engines with the most powerful HP to GPM ratio and greater fuel efficiency than overhead valve engines
- Quiet operation — 33% fewer moving parts makes this one of the quietest engines operating today
- Easy Starting — 30% to 40% less pulling force than other engine brands

These high performance line strippers are designed for economical operation and precise line spraying. Ideal for maintenance personnel and entry level through full service contractors.


## Reliable Piston Performance

### One Piece Design

Allows maximum fluid flow while minimizing wear and pressure loss

### Static Packing Design

No need for a wearable cylinder = lower repair costs



# TITAN™ SPEEFLO® POWRLINER™ SERIES 800




**Recommended for light, periodic-duty on small parking lots and athletic fields.**

## PowrLiner 800 Specifications

Max. Delivery	.33 GPM
Max. Operating Pressure	2500 PSI
Max. Tip Size (1 Gun)	0.021"
Engine, Gas	1.6 HP
Weight (empty)	65 lbs



# **TITAN™ SPEEFLO® POWRLINER™ SERIES 1800M**



***Recommended for light, intermittent-duty on small parking lots and athletic fields.***

## **PowrLiner 1800M Specifications**

Max. Delivery	.50 GPM
Max. Operating Pressure	3000 PSI
Max. Tip Size (1 Gun)	0.023"
Engine, Gas	4.3 HP
Weight (unit)	145 lbs



# TITAN™ SPEEFLO® POWRLINER™ SERIES 2800M



The PowrLiner 2800M is designed to withstand the rigors of steady, everyday use on pavement, fields and turf. It's the perfect intermediate line stiper that can handle all one-gun projects too big for the smaller line strippers on parking lots and athletic fields.

- New fluid section with slower-stroking piston, slower cycle rate and larger displacement for longer performance life
- Higher output and longer sustained use in a design that weighs only 160 lbs — easy to use, transport and store
- Versatile gun bracket can be positioned to spray on left, right, front or rear of stiper
- Ideal for medium-size projects on athletic fields and pavement; easy maneuverability makes tight turns and stenciling easy and fast.
- Perfect for contractors who need a maneuverable, medium-duty line stiper for projects where the big machines just aren't profitable to operate.

**Recommended for one-gun projects on all parking lots and athletic fields.**

## PowrLiner 2800M Specifications

Max. Delivery	.85 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.030"
Engine, Gas	4.3 HP
Weight (unit)	160 lbs



# Multiple Gun Line Stripers

Titan SPEEFLO offers two-gun PowrLiners™ that incorporate hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.

## Titan™ SPEEFLO® Hydraulic Piston Line Stripers

### SPEEFLO® HydraDrive™

- Reliable, smooth, slow-stroking hydraulic drive greatly extends the operational life of the sprayer.
- External-hydraulic fluid porting with new, upgraded fittings allows for quick troubleshooting and easy maintenance.
- SAE O-Ring fitting and precision rod alignment ensure maximum pump life.

### Severe Service 900™ Pump

- Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life 150% longer than competitive pumps.
- Self-adjusting packings resist over-tightening and help prevent premature wear.
- Foot valve removes easily for faster cleaning and easy maintenance.
- Reversible inlet and outlet seats have twice the lifespan of ordinary outlet seats. Extra large ball valves ensure efficient pump operation and longer unit life.
- Heavy-duty prime/spray valve ensures consistent increased flow and faster pump priming.

### Electric Convertibility

Easy, tool-free convertibility from gas-power to electric power for projects where gas engines are not permitted.

These high-performance, heavy-duty line stripers use long-stroke, slow-cycling hydraulic piston technology for economical operation and dependable, long-term line spraying. They are the ultimate line striping workhorses for serious contractors.



**Speeflo® HydraDrive™**  
Mechanical valve eliminates expensive, unreliable electronic switching devices.





External hydraulic fluid porting with new upgraded fittings allow for quick troubleshooting and easy maintenance.



SAE O-Ring fitting for precision alignment.



Precision rod alignment for maximum chrome life.



Self-adjusting packings prevent premature packing wear due to over-tightening.



New cylinder and piston rod material with proprietary heat treating process increases pump life up to 150% over the competition.



Reversible inlet and outlet seats double the life of standard seats. Extra-large ball valves for efficient pump operation and longer life.



Hand-tite foot valve and cylinder remove easily for quick cleaning and easy maintenance.

# TITAN™ SPEEFLO® POWRLINER™ SERIES 4900XLT

Designed and built for contractors who are serious about completing medium to large scale striping projects quickly and profitably. PowrLiner 4900XLT is the first step in hydraulic strippers where power and long-term, heavy duty operation are the difference between a business that makes money and one that does not.

- Dependable 3.5 hp OHV Honda® gas engine with Low-Oil Alert
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor

- Versatile gun bracket can be positioned to spray on left, right, front or rear of stripper
- Precise pressure control from 400 psi to 3300 psi, for spraying light-bodied coatings all the way up to low-VOC striping paints.
- Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.

## Engine Controls



In easy reach of the operator:  
12 volt electrical system  
for operational headlight.  
Standard on all hydraulic  
models.





**Recommended for full-time duty on parking lots and athletic fields.**

## PowrLiner 4900XLT Specifications

Max. Delivery, Gas	1.25 GPM
Max. Delivery, Electric	1.10 GPM
Max. Tip Size (1 Gun)	0.036"
(2 Guns)	0.028"
Max. Operating Pressure	3300 PSI
Engine, Gas	3.5 HP
Motor, Electric	2.0 HP



# **TITAN™ SPEEFLO® POWRLINER™ SERIES 6900XLT/8900XLT**



Larger projects require more power and output. PowrLiner 6900XLT and 8900XLT line stripers are the workhorse machines of the industry, designed for ease of use and simple operation on major projects that require maximum performance with minimum downtime and maintenance.

- Powered by a dependable 4.8 hp Honda® OHV engine with Low-Oil Alert
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor
- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Precise pressure control from 400 psi to 3300 psi, for spraying light-bodied coatings all the way up to low-VOC striping paints.
- Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.
- Optional: Self-propelled/Dana™ Transaxle Drive for precise, forward/reverse control at the press of a button

**Recommended for large-scale, full-time duty on airports, roads, parking lots and athletic fields.**

## **PowrLiner 6900XLT Specifications**

Max. Delivery, Gas	2.15 GPM
Max. Delivery, Electric	1.25 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.048"
(2 Guns)	0.033"
Engine, Gas	4.8 HP
Motor, Electric	2.0 HP

## **PowrLiner 8900XLT Specifications**

Max. Delivery, Gas	2.35 GPM
Max. Delivery, Electric	1.25 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.052"
(2 Guns)	0.038"
Engine, Gas	4.8 HP
Motor, Electric	2.0 HP

# TITAN™ SPEEFLO® POWRLINER™ SERIES 9900XLT

**Engine Controls**  
In easy reach of operator

**Large Hose Storage Rack**  
Holds 300' of hose



**PowrHandler™**  
Wheeled operator seat with no-skid deck and room for additional 5-gallon paint pail or extra supplies. (PL9900XLT only)

**Pneumatic tires**  
For shock absorption

Designed and built for the largest scale striping projects, the PowrLiner 9900XLT is the flagship of the PowrLiner fleet. This is the ultimate line stiper for projects requiring speed, precision and the crisp, clean, perfectly sprayed lines that only a Titan PowrLiner can deliver.

- Powered by a dependable 7.1 hp Honda® OHV engine with Low-Oil Alert
- Self-propelled/Dana™ Transaxle Drive for precise, forward/reverse control at the press of a button
- Versatile gun bracket can be positioned to spray on left, right, front or rear of stiper
- Precise pressure control from 400 psi to 3300 psi, for spraying light-bodied coatings all the way up to low-VOC striping paints
- Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion

**HydraDrive™**

**12-gallon Paint Hopper**

**Honda® GX240 Engine**  
(7.1 hp, 240cc) With low-oil alert

**TITAN  
SPEEFLO**  
PowrLiner 9900 XLT

**S-3 Gun Standard**

**Second Gun Kit**  
Complete with S-3 Gun for wide or dual lines

**WideTrak™**

**Front Wheel**

Locks-in for precise  
straight or radius lines

**Recommended for very large-scale duty on airports, roads, parking lots and athletic fields.**

## PowrLiner 9900XLT Specifications

Max. Delivery	2.35 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 gun)	0.052"
(2 Guns)	0.038"
Engine, Gas	7.1 HP



# Accessories

## Turf Kit



Eliminates side to side movement when striping on uneven turf

Part No. 759-155

## Liquid Shield Plus



- Cleans & protects your spray system against rust & corrosion
- Extends the life of your pump
- Now with anti-freeze protection

1 Qt. bottle — Part No. 314-482  
4 oz. bottle — Part No. 314-483

## Line Pointer



Points the way.

Part No. 424-620

## LX-40 Gun



- All-metal construction
- In-handle filter
- Tungsten carbide ball valve ensures long life
- Includes 517 SC-6™ reversible tip
- Pressure rated at 3000 PSI (20.7 MPa)

Part No. 550-540

## SureTrak™ Floating Gun Kit



Keeps the gun at the proper height from the surface for perfect lines over rough terrain

Part No. 759-120

## Piston Lube



- Specially formulated to prevent materials from adhering to the piston rod
- Suitable for use with most airless piston pumps

8 oz. bottle — Part No. 314-480  
4 oz. bottle — Part No. 314-481  
1 Qt. bottle — Part No. 700-926

## 12-Gallon Hopper



Holds up to 12 gallons of paint

Part No. 759-130

## Stencil Kit



Molded of 1/16" (.15 cm) dulast polyethylene, these stencils are very durable and lay flat on surfaces being stenciled for clean and accurate marking.

Kit contains one of each of the following:

• 21.5" (55 cm) Handicap	• 42" (105 cm) Straight and curved arrows
• 4" (10 cm) Visitors	• 4", 12" (10, 30 cm) No Parking
• 12" (30 cm) Numbers 0-9	• 4", 12" (10, 30 cm) Fire Lane
• 4" (10 cm) Reserved	

Part No. 756-135

## Ball Hitch



To attach competitive ride-on units

Part No. 759-502

## LX-80" Gun



- All-metal construction
- High-pressure swivel
- In-handle filter
- Tungsten carbide ball valve ensures long life
- SC-6™ reversible tip
- Pressure rated at 3600 PSI (25 MPa)

Part No. 581-085


## S-3 Gun



- All-metal construction
- High-pressure swivel
- Stainless steel fluid passages
- Tungsten carbide ball valve ensures long life
- Easy 4-finger trigger
- SC-6™ reversible tip
- Pressure rated at 3900 PSI (27 MPa)

Part No. 550-250

## Glass Bead Dispensing Systems



Dispense glass beads accurately

Description	Line width	Part No.
1-Gun Kit w/Hopper	4"-6"	424-826
2nd Gun Kit (Dispenser only)	4"-6"	424-816
2-Gun Kit w/Hopper	4"-6"	424-836
1-Gun Kit w/Hopper	12"	424-840
2nd Gun Kit w/Hopper	12"	424-841

## SC-6™ Reversible Line Striping Tips

Designed specifically for line striping applications such as parking lot lines, road lines, athletic field markings, etc. SC-6 striping tips create sharp edges for cleaner, more distinct lines that last longer. Designed to last longer than standard airless tips, SC-6 striping tips are precision machined from high quality Tungsten Carbide and are compatible with all striping coatings.



## Recommended Tips (665-XXXX)

	Line Width (inches/mm)						
	1-2" 25-51mm	2-4" 51-102mm	4-6" 102-152mm	6-8" 152-203mm	10-12" 255-305mm	12-14" 305-357mm	14-16" 357-406mm
.013"	<b>1302</b>	<b>1304</b>	<b>1308</b>				
.015"	<b>1502</b>	<b>1504</b>	<b>1508</b>	<b>1512</b>			
.017"	<b>1702</b>	<b>1704</b>	<b>1708</b>	<b>1712</b>			
.019"	<b>1902</b>	<b>1904</b>	<b>1908</b>	<b>1912</b>	<b>1920</b>		
.021"		<b>2104</b>	<b>2108</b>	<b>2112</b>		<b>2124</b>	<b>2128</b>
.023"			<b>2308</b>	<b>2312</b>		<b>2324</b>	<b>2328</b>
.025"			<b>2508</b>	<b>2512</b>			
.027"			<b>2708</b>	<b>2712</b>			
.029"			<b>2908</b>	<b>2912</b>			
.031"			<b>3108</b>	<b>3112</b>			
.035"			<b>3508</b>	<b>3512</b>			
.039"			<b>3908</b>	<b>3912</b>			
.043"			<b>4308</b>	<b>4312</b>			

	Stencils and Athletic Courts, Light Film, Use 100 mesh filter
	Stencils and Athletic Courts, Light Film
	Stencils and Athletic Courts, Alkyd Only, Heavy Film
	Most Traffic Paints, Heavy Film
	Most Traffic Paints, Medium Film
	Most Traffic Paints, Light Film
	Most Traffic Paints, High Speed, Heavy Film
	Most Traffic Paints, High Speed, Medium Film
	Most Traffic Paints, High Speed, Light Film
	All Traffic Paints, High Speed, Heavy Film

## Side Striper™

The easy-to-use Side Striper is designed specifically for those smaller line striping jobs and touching up existing strips.

- Stripes in tight spaces, including between parked cars
- Works with any airless sprayer
- Compact, lightweight and portable
- Simple striping instructions
- Works with any airless sprayer

### Kit includes:

- Gun holder and pole (1)
- Wheels (3)
- SC-6 striping tip (1)
- Parts kit (1)
- Striping instruction (1)
- P/N 759-150



**Curbs • Radius • Parking Lots • In-Between Cars • Warehouses • Sports Fields**

# Specifications

			
<b>Part #:</b> 1-Gun 2-Gun 1-Gun (Self-Propelled) 2-Gun (Self-Propelled)	759-091 — — —	759-191 — — —	759-0291 — — —
<b>Max. Tip Size:</b> (Gas) 1-Gun 2-Gun (Electric) 1-Gun 2-Gun	0.021" — — —	0.023" — — —	0.030" — — —
<b>Max. Output:</b> (Gas) (Electric)	.33 GPM (1.3 lpm) —	.50 GPM (1.9 lpm) —	.85 GPM (3.2 lpm) —
<b>Max. Spraying Speed*</b>	106 linear ft. (32.3 m) per minute @ 1.2 mph (1.9 kph)	240 linear ft. (73.2 m) per minute @ 2.7 mph (4.3 kph)	416 linear ft. (126.8 m) per minute @ 4.7 mph (7.6 kph)
<b>Line Width Range</b>	2" - 12" (5 cm - 30.5 cm)	2" - 12" (5 cm - 30.5 cm)	2" - 12" (5 cm - 30.5 cm)
<b>Max. Operating Pressure</b>	2500 PSI (17.2 MPa)	3000 PSI (22.8 MPa)	3300 PSI (22.8 MPa)
<b>Max. Hose Length</b>	50' (15.2 m)	300' (91.4 m)	300' (91.4 m)
<b>Power Source</b>	1.6 hp (33cc, 1.2 kW) Subaru®	4.3 hp (130cc, 3.2 kW) Subaru® OHC Engine w/Low-Oil Alert	4.3 hp (130cc, 3.2 kW) Subaru® OHC Engine w/Low-Oil Alert
<b>Electric Motor</b>	—	—	—
<b>Pump Drive</b>	Gear Driven	Gear Driven	Gear Driven
<b>Cycle Rate</b>	—	—	—
<b>Electrical System</b>	—	—	—
<b>Paint Outlet: Filter Element Filter Area</b>	60 mesh 3 in <sup>2</sup> (19 cm <sup>2</sup> )	60 mesh 14 in <sup>2</sup> (90 cm <sup>2</sup> )	60 mesh 14 in <sup>2</sup> (90 cm <sup>2</sup> )
<b>Airless Gun</b>	550-540, LX-40	550-540, LX-40	581-085, LX-80 <sup>II</sup>
<b>Airless Hose</b>	0315265, 1/4" x 50' (7.5 m)	316-505, 1/4" x 50' (15.2m)	316-505, 1/4" x 50' (15.2m)
<b>Airless Striping Tips supplied per gun</b>	1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice	1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice	1 ea., 665-1708, SC-6™ Striping Tip, 4" Line by .017" orifice
<b>Operator's Manual</b>	313-2300	313-2797	313-2797
<b>Repair Kit: Pump Gun</b>	759-365 N/A	755-165 N/A	759-268 580-034
<b>Optional Electric Motor Kit</b>	—	—	—
<b>Weight: Unit</b>	65 lbs (30 kg)	145 lbs (66 kg)	160 lbs (73 kg)
<b>Weight: Unit Crated</b>	75 lbs (34 kg)	170 lbs (77 kg)	185 lbs (84 kg)
<b>Dimensions: Unit</b>	38" H x 29" W x 42" L (97 cm H x 74 cm W x 107 cm L)	41" H x 30" W x 54" L (104 cm H x 79 cm W x 152 cm L)	41" H x 30" W x 54" L (104 cm H x 79 cm W x 152 cm L)
<b>Dimensions: Unit Crated</b>	24" H x 26" W x 46" L (61 cm H x 66 cm W x 116 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)
<b>Dimensions: PowrHandler</b>	—	—	—
<b>Dimensions: PowrHandler Crated</b>	—	—	—
<b>Coatings Compatibility</b>	Most advanced, low-VOC, waterborne traffic paints	Most advanced, low-VOC, waterborne traffic paints	Most heavy, low-VOC, waterborne, rubberized and alkyd traffic paints
<b>Common Applications</b>	Light-duty striping use on small parking lots and athletic fields	Medium-duty use on parking lots and athletic fields	Heavy, continuous use on roads, intersections, parking lots and athletic fields.

\*Based on 4" (10 cm) line @ 15 mil wet film thickness and 320 linear feet per gallon coverage.

All information contained in this brochure is based on the latest information available at the time of printing.  
Titan reserves the right to make changes at any time without notice.

# POWR LINER™

**For Your Toughest Striping Application**



**PowrLiner™ 4900XLT**



**PowrLiner™ 6900XLT**



**PowrLiner™ 8900XLT**



**PowrLiner™ 9900XLT**

759-491	759-691	759-891	—
759-493	759-693	759-893	—
—	759-697	759-898	—
—	759-698	759-899	759-990
0.036" 0.028" 0.031" 0.023"	0.048" 0.033" 0.036" 0.026"	0.052" 0.038" 0.036" 0.026"	0.052" 0.038" — —
1.25 GPM (5.68 lpm) 1.10 GPM (4.07 lpm)	2.15 GPM (9.77 lpm) 1.25 GPM (5.68 lpm)	2.35 GPM (10.68 lpm) 1.25 GPM (5.68 lpm)	2.35 GPM (10.68 lpm) —
400 Linear ft. (122 m) per minute @ 4.7 mph (7.6 kph)	688 Linear ft. (210 m) per minute @ 7.8 mph (12.6 kph)	752 Linear ft. (229 m) per minute @ 8.5 mph (13.7 kph)	752 Linear ft. (229 m) per minute @ 8.5 mph (13.7 kph)
2" - 24" (5 cm - 60 cm)	2" - 24" (5 cm - 60 cm)	2" - 24" (5 cm - 60 cm)	2" - 24" (5 cm - 60 cm)
3300 PSI (22.8 MPa)	3300 PSI (22.8 MPa)	3300 PSI (2.28 MPa)	3300 PSI (22.8 MPa)
300' (91.4 m)	300' (91.4 m)	300' (91.4 m)	300' (91.4 m)
3.5 hp (120cc, 2.6 kW) Honda® OHV w/Low-Oil Alert	4.8 hp (160cc, 3.6 kW) Honda® OHV w/Low-Oil Alert	4.8 hp (160cc, 3.6 kW) Honda® OHV w/Low-Oil Alert	7.1 hp (240cc, 5.3 kW) Honda® OHV w/Low-Oil Alert
2 hp (1.5 kw) Extended Life DC	2 hp (1.5 kw) Extended Life DC	2 hp (1.5 kw) Extended Life DC	—
Hydraulic	Hydraulic	Hydraulic	Hydraulic
87 per gallon (23 per liter)	55 per gallon (15 per liter)	40 per gallon (11 per liter)	38.6 per gallon (10.6 per liter)
50 W - 12 Volt DC	50 W - 12 Volt DC	50 W - 12 Volt DC	50 W - 12 Volt DC
50 mesh 18 in <sup>2</sup> (116 cm <sup>2</sup> )	50 mesh 18 in <sup>2</sup> (116 cm <sup>2</sup> )	50 mesh 18 in <sup>2</sup> (116 cm <sup>2</sup> )	50 mesh 18 in <sup>2</sup> (116 cm <sup>2</sup> )
550-250, S-3	550-250, S-3	550-250, S-3	550-250, S-3
316-505, 1/4" x 50' (15.2 m)	316-505, 1/4" x 50' (15.2 m)	316-505, 1/4" x 50' (15.2 m)	316-505, 1/4" x 50' (15.2 m)
1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice	1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice	1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice	1 ea., 665-1908, SC-6™ Striping Tip, 4" Line by .019" orifice
313-2593	313-2596	313-2582	313-2545
107-051 520-275	144-050 520-275	144-050 520-275	144-050 520-275
506-217	506-211	506-276	—
235 lbs (107 kg)	245 lbs (111 kg)	255 lbs (117 kg)	372 lbs (169 kg) PowrHandler 147 lbs (67 kg)
370 lbs (167 kg)	380 lbs (172 kg)	385 lbs (175 kg)	429 lbs (195 kg) PowrHandler 167 lbs (76 kg)
41" H x 31" W x 60" L (104 cm H x 79 cm W x 152 cm L)	41" H x 31" W x 60" L (104 cm H x 79 cm W x 152 cm L)	41" H x 31" W x 60" L (104 cm H x 79 cm W x 152 cm L)	41" H x 31" W x 60" L (104 cm H x 79 cm W x 152 cm L)
49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)
—	—	—	37" H x 28" W x 40" L (94 cm H x 71 cm W x 102 cm L)
—	—	—	43" H x 29" W x 42" L (109 cm H x 74 cm W x 107 cm L)
Most heavy, low-VOC, waterborne, rubberized and alkyd traffic paints	Most heavy, low-VOC, waterborne, rubberized and alkyd traffic paints	Most heavy, low-VOC, waterborne, rubberized and alkyd traffic paints	Most heavy, low-VOC, waterborne, rubberized and alkyd traffic paints
Heavy continuous use on roads, intersections, parking lots and athletic fields	Heavy continuous use on airport runways, roads, intersections, crosswalks, parking lots and athletic fields	Heavy continuous, high-speed use on airports runways, roads, intersections, crosswalks, parking lots and athletic fields	Heavy continuous, high-speed use on airports runways, roads, intersections, crosswalks, parking lots and athletic fields



**Advanced Performance. Total Reliability.**

# Line Stripers

## The Best & Longest Warranty in the Industry



Titan® line stripers are built to last. We are so confident that our PowrLiner™ Series line stripers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

### 4-Year Manufacturer's Defects

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

### 3-Year Honda® Engine Warranty

Against defects in materials and workmanship.

### 3-Year Subaru® Engine Warranty

Against defects in materials and workmanship.

### 35-Day Satisfaction Guarantee

For any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit toward the purchase of a Titan line stiper of larger size and value.

### Express Parts Program

- Over 400 Authorized Service Centers nationwide.
- The most common repair parts are guaranteed to be in stock 100% of the time.
- If for any reason your preferred Authorized Service Center is out of stock, FREE 2nd day air is available when ordered by 3:00 pm EST.

### WearGuard™ Convenience Program

Purchase a new PowrLiner™ Series line stiper and qualify for one of the following packages:

A: Receive the repacking kit for the line stiper at no charge. This kit includes packings, upper and lower balls, seals and o-rings.  
 B: Purchase the stiper's major repacking kit and save up to 78%!  
 In addition to the standard repacking parts, this kit includes a piston and both upper and lower seats.

PL800, PL1800 & PL2800 ..... \$35

PL4900, 6900, 8900 & 9900 ..... \$125

C: Purchase the stiper's complete fluid section and save up to 83%! This kit includes all the necessary parts allowing you to replace the fluid section right on the job site.

PL800, PL1800 & PL2800 ..... \$99

PL4900, 6900, 8900 & 9900 ..... \$250

**For more information about the industry's leading warranty, please call the Titan® Technical Service Department at 1-800-526-5362.**



*Sold exclusively through professional distributors*

**Advanced Performance. Total Reliability.**

#### Titan Tool, Inc.

1770 Fernbrook Lane  
 Minneapolis, MN 55447  
 1-800-526-5362  
 Fax 1-800-528-4826

#### International Sales

**Titan Tool, Inc.**  
 1770 Fernbrook Lane  
 Minneapolis, MN 55447  
 1-201-337-1240  
 Fax 1-201-405-7449

#### Titan Tool of Canada

200 Trowers Road, Unit 7B  
 Woodbridge, Ontario L4L-5Z8  
 1-800-565-8665  
 Fax 1-905-856-8496

Visit us on the web at: [www.titantool.com](http://www.titantool.com)

Call Tech Services at 1-800-526-5362 for complete warranty information.

All information contained in this brochure is based on the latest information available at time of printing. Titan reserves the right to make changes at any time, without notice.